UniLink™

evolis

Identify what matters

Badgy 200



A COMPLETE SOLUTION

SMALL FOOTPRINT

EASE-OF-USE

PRINTER

BADGY200

The Affordable Card **Printing Solution**



Evolis presents the **Badgy200** solution, designed to help you print professional quality color badges with perfect ease.
A complete solution which is economical and easy to use, Badgy200 fulfills all your needs for graphic personalization and instant card production, as single cards or in small batches.

A Complete Solution

- This turnkey solution consists of a plastic card printer, the Evolis Badge Studio®+ card personalization software, and a pack of consumables (color ribbon and blank plastic cards) for 100 prints.
- A **free card template library** is available at **www.badgy.com**, where you can personalize the template of your choice, adding texts, photos, barcodes, and more.

Ease of Use


- With the Badgy200 solution, you **print your cards in 3 easy steps in less than a minute**. The card printer is installed and used like a standard office printer and the included software is very intuitive.
- The Badgy **print ribbons are easy to install** and automatically recognized.

Small Footprint

- Smaller than an A4 sheet of paper, the printer **can fit easily into any workspace.**
- Thanks to its light weight (just 1.7 kg) and its carrying bag (sold separately), **the Badgy can easily be transported.**







INCLUDED

- Online card template library
- Evolis Badge Studio® card designer software
- Color ribbon + PVC cards (53,98 x 85,60 mm) + 1 cleaning card

Main Features

General Features

- Direct-to-card dye-sublimation/ Resin thermal transfer
- Single-sided printing, edge-to-edge
- Printing resolution: 260 x 300 dpi
- 2 million colors
- 16 MB RAM

Printing Performances

- Color (YMCKO): 38 s per card (95 cards/hour)
- Monochrome: 11 s per card (325 cards/hour)

Interfaces

- USB 2.0 (1.1 and 3.0 compatible), cable supplied

Card Management & Specifications

- Feeder capacity: 25 cards (0.76 mm – 30 mil) to 40 cards (0.50 mm – 20 mil)
- Output hopper capacity: 25 cards (0.76 mm – 30 mil) to 40 cards (0.50 mm – 20 mil)
- Card thickness: 0.50 to 0.76 mm (20 to 30 mil), automatic gauge
- Card type: PVC cards
- Card format: ISO CR-80 – ISO 7810 (53.98 x 85.60 mm)

Display

- LEDs
- Graphic printer notifications[1]: cleaning alerts, end of ribbon alert, ribbon due to end, etc.

Packaging Content

- Printer
- Consumables:
  - Color ribbon (YMCKO): 100 prints
  - 100 blank PVC cards (0.76 mm - 30 mil)
  - 1 cleaning card
- Installation USB key (print driver, Evolis Badge Studio® + software, and card templates)
- USB cable
- Power supply unit and cable

Safety

- Space for Kensington® security lock

Size & Weight

- Complete packaged solution:
  - Dimensions (H x W x D): 315 x 385 x 285 mm (12.40” x 15.15” x 11.22”)
  - Weight: 3.95 kg (8.71 lbs)
- Printer:
  - Dimensions (H x W x D): 148 x 200 x 276 mm (5.83” x 7.87” x 10.87”)
  - Weight: 1.665 kg (3.67 lbs)

Badgy Ribbons

To maximize the quality and durability of the printed cards, the lifespan of the print head, and the overall printer reliability, use the Badgy ribbons.

- Ribbon capacity:
  - YMCKO (included): 100 prints/roll
  - Black monochrome ribbon: 500 prints/roll
- Automatic detection and configuration
- Ribbon in a cartridge for easier handling
- Integrated ribbon saving for monochrome printing

Software

- Supplied with Evolis Badge Studio®+ for designing and printing badges:
  - Import data from a database
  - Windows® 7 and higher and Mac OS® X from 10.12 and higher
- Supplied with Badgy Premium Suite® for Windows®:
  - Driver
  - Printer management and configuration tool with graphic notifications[1]
  - 24/7 online support
  - Compatible with Windows® 7 and higher
- Supplied with the Mac OS® X driver (10.12 and higher)

Eco-Friendly Design, Certifications and Statement of Compliance

- Prolonged standby mode and reduced electricity consumption
- CE, FCC, ICES, VCCI, CCC, KC, BIS
- RoHS

Warranty

- 2-year warranty (printer and print head)[2]
- Warranty extension available as an option

1 Depends on the Windows® version
2 The costs of return remain the responsibility of customer

UniLink
Sales@UniLinkinc.com | www.UniLinkinc.com | 800.666.2980