



Rack PDU, Basic, 1U, 20A, 120V, (10)5-20, 5-20P



AP9563

Overview

Lead Time Usually in Stock

Main

Color Black

Pdu Type Basic

Cord Length 12 ft (3.66 m)

Number Of Cables 1

Provided Equipment Installation guide
Rack Mounting brackets

Complementary

Input Voltage 100 V
120 V

Height 1.73 in (4.4 cm)

Width 17.60 in (44.7 cm)

Output Voltage 120 V

Depth 2.24 in (5.7 cm)

Net Weight 5.51 lb(US) (2.5 kg)

Mounting Location Front
Rear

Mounting Preference No preference

Input Plug Type NEMA 5-20P

Mounting Mode Rack-mounted

Rack Units 1U

Mounting Position Horizontal

Line Rated Current 16 A

Input Current Limits 20 A

Load Capacity 1920 VA

Input Frequency 50/60 Hz

Total Number Of Outlets 10 NEMA 5-20R

Environment

Product Certifications cUL Listed
UL Listed

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient Air Temperature For Operation	23...113 °F (-5...45 °C)
Relative Humidity	0...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-13...149 °F (-25...65 °C)
Storage Relative Humidity	0...95 %
Storage Altitude	0...50000 ft (0.00...15240.00 m)

Ordering and shipping details

Gtin	731304203889
------	--------------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.76 in (7 cm)
Package 1 Width	9.02 in (22.9 cm)
Package 1 Length	18.27 in (46.4 cm)
Package 1 Weight	8.02 lb(US) (3.64 kg)

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------


Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)




Energy Efficient Take-back Transparency RoHS/REACH

Resource performance

 Energy Efficient Product

 Take-Back Program Available

Well-being performance

 Lead Free

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive [Compliant](#)
[EU RoHS Declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)
