

OPTIPLEX

Small Form Factor

Built to create the perfect balance



30 YEARS
DELL OPTIPLEX

Small Form Factor

Intelligence meets simplicity

Balance compact size and powerful performance in a desk-friendly design.

• • •

Most powerful OptiPlex yet

Intel vPro® with 13th Gen Intel® Core™ up to i9 65W processors deliver business-class performance that accelerates productivity while minimizing security risks by leveraging technologies deep in the silicon¹

• • •

Most intelligent with Dell Optimizer²

More intuitive app performance, connectivity and audio experiences

• • •

Easy to manage

With a single BIOS across new Micro, Small Form Factor, and Tower configurations

• • •

Wi-Fi 6E option

Future-proof your IT with the industry's fastest speeds³



• • •

3rd M.2 SSD Drive option

provides additional expansion options for faster boot time and file access

• • •

Highly expandable

More ports than the micro, more space-conscious than the tower

• • •

Now with DDR5 Memory

Better performance for heavy workloads, great for cloud applications

• • •

Native support for up to 4 displays

Without the need for additional graphics card



• • •

Sustainable innovation

With post-consumer recycled plastic, steel and Modern Standby; EPEAT Gold, ENERGY STAR and TCO certifications (on select configurations)

• • •

Smart connectivity

Up to 10 USB ports including faster native Type-C USB 3.2 Gen 2x2 (20Gbps), (3) DisplayPorts and optional video ports supporting up to 5K resolution

Small Form Factor

Sustainability on OptiPlex

OptiPlex is a leading platform for sustainable innovation and utilizes the most recycled content of all Dell PCs with up to 59.6% recycled plastic and closed-loop materials in its design.¹



Design

100%

Dell multi-pack solutions ship multiple products in a single package and is made with up to 100% recycled and renewable corrugate.²

Sustainable Materials

Our use of sustainable materials helps reduce the environmental impact of making and recycling them.*



- Minimum of 10% recycled steel



- 38.9% post consumer recycled plastics**

**43.1% post consumer recycled plastics in OptiPlex Small Form Factor

Packaging Innovation

87%

87% of Dell's packaging is made from recycled or renewable materials².

OPTIPLEX HAS

120+

EPEAT registered products*



40+

TCO certified configurations



8.0

ENERGY STAR[®] throughout the portfolio



Small Form Factor

Dell Optimizer

We make it intelligent. You make it yours.

In a work-from-anywhere world, powering the world's most intelligent commercial PCs* is not enough, Dell Optimizer is extending personalized intelligence to the rest of the Dell ecosystem.

Dell Optimizer lets you accomplish anything with built-in intelligence that learns and adapts to the way you work.



Elevate your work experience with personalized performance extending from your OptiPlex to the devices within your workspace.



Hear and be heard better than ever
Intelligent Audio reduces background noise and optimizes audio experiences, now with more impressive features: Neural noise and echo cancelation intelligently removes background noises and echoes of the participants in your conference calls. Voice Quality Monitoring checks the quality of your voice during conference calls and notifies you when the quality is poor.



Seamless workspace transitions and enhanced privacy

ExpressSign-in wakes your PC when upon approach and locks it when you step away. Intelligent Privacy texturizes your screen when an onlooker is detected and dims it when you look away. (Available on select OptiPlex All-in-One configurations with optional 5MP IR Camera; also available on select Dell monitors and webcams with proximity sensors).



Improved app performance

ExpressResponse analyzes how you use your preferred apps to boost performance.



Unmatched connectivity

ExpressConnect delivers the world's first simultaneous multinet** for faster transfers and downloads. It also optimizes connectivity and bandwidth for clearer, more productive conferencing.



An intelligent ecosystem

Enjoy easy pairing and management of your Dell monitors and accessories with the integration of Dell Display Manager and Dell Peripheral Manager. With Dell Optimizer, optimization and data collection follow a stringent process to ensure your privacy and security.

With Dell Optimizer, optimization and data collection follow a stringent process to ensure your privacy and security.

[Click here to learn more about Dell Optimizer.](#)

*Based on Dell analysis, October 2022. Dell Optimizer not available in OptiPlex 3000 series, Latitude Chromebook Enterprise, and Linux-based devices. Feature availability and functionality may vary by model. For more details visit: <https://www.delltechnologies.com/asset/en-us/solutions/business-solutions/technical-support/dell-optimizer-features-availability-matrix.pdf.external>.



RECOMMENDED ACCESSORIES



Dell UltraSharp 24 USB-C Hub Monitor – U2422HE

Take your work to new heights with this 23.8-inch FHD monitor featuring brilliant color coverage, ComfortView Plus, USB-C and Ethernet connectivity.



Dell 27 Monitor - P2723D

Stay focused on a 27-inch QHD monitor optimized to deliver high performance details and clarity.



Dell Premier Multi-Device Wireless Keyboard and Mouse – KM7321W

Multi-task seamlessly across 3 devices, featuring programmable shortcuts and 36 months battery life.



Dell Pro Wireless Keyboard and Mouse – KM5221W

Enhance your everyday productivity with a quiet full-size keyboard and mouse combo that offers programmable shortcuts and up to 36 months battery life.



Dell Pro Webcam - WB5023

Experience industry leading video quality and picture clarity in any lighting with this intelligent 2K QHD webcam.



Dell Pro Wireless Headset - WL5022

Enjoy wireless freedom and superior audio clarity with this Teams certified headset that offers convenient call controls. Switch seamlessly across your PC, tablet or smartphone.



Dell Premier Wireless ANC Headset - WL7022

Collaborate with ease anywhere with this Teams certified wireless headset which offers active noise cancellation and smart sensors that automatically mute and unmute your call.



Dell Speakerphone - SP3022

Experience crystal-clear conference-calls with the world's most intelligent Microsoft Teams-certified speakerphone.*

*Based on Dell analysis comparing against competitive personal conferencing speakerphones, September 2021.



OptiPlex Small Form Factor All-in-One Stand – OSS21

Create a clean workspace for your Small Form Factor with integrated cable management and full range monitor adjustability.



OptiPlex Small Form Factor Cable Cover

Thermally tested design offers an easy to install and attractive way to manage cables and secure ports.

Small Form Factor

OptiPlex Small Form Factor offers 2 base configurations

Base configuration determines the set of customizable features available for this PC.



OptiPlex Small Form Factor Plus

High performance desktop with new DDR5 memory, 10 native USBs including 1 USB-C, and 3 native Display Ports.



OptiPlex Small Form Factor

Standard commercial desktop including DDR4 memory, 8 native USB ports, 1 native DisplayPort, and 1 native HDMI.

Small Form Factor

FEATURE TECHNICAL SPECIFICATION

MODEL NUMBER¹	OptiPlex Small Form Factor Plus 7010
PROCESSOR¹	13 th Generation Intel® Core™ i3-13100 (12 MB cache, 4 cores, 8 threads, 3.40 GHz to 4.50 GHz turbo, 60 W) 13 th Generation Intel® Core™ i5-13400 (20 MB cache, 10 cores, 16 threads, 2.50 GHz to 4.60 GHz turbo, 65 W) 13 th Generation Intel® Core™ i5-13500 (24 MB cache, 14 cores, 20 threads, 2.50 GHz to 4.80 GHz turbo, 65 W) 13 th Generation Intel® Core™ i5-13600 (24 MB cache, 14 cores, 20 threads, 2.70 GHz to 5.00 GHz turbo, 65 W) 13 th Generation Intel® Core™ i7-13700 (30 MB cache, 16 cores, 24 threads, 2.10 GHz to 5.10 GHz turbo, 65 W) 13 th Generation Intel® Core™ i9-13900 (36 MB cache, 24 cores, 32 threads, 2.00 GHz to 5.20 GHz turbo, 65 W)
CHIPSET	Intel® Q670
OPERATING SYSTEM¹	Windows 11 Home Windows 11 Pro Windows 11 Pro Downgrade (Windows 10 image) Windows 11 Pro National Education Windows 10 CMIT Government Edition (China only) Ubuntu® Linux® 22.04 LTS, 64-bit
MEMORY^{1,2,3}	8 GB, 1 x 8 GB, DDR5, 4400 MT/s, single-channel 16 GB, 1 x 16 GB, DDR5, 4400 MT/s, single-channel 16 GB, 2 x 8 GB, DDR5, 4400 MT/s, dual-channel 32 GB, 1 x 32 GB, DDR5, 4400 MT/s, single-channel 32 GB, 2 x 16 GB, DDR5, 4400 MT/s, dual-channel 32 GB, 4 x 8 GB, DDR5, 4000 MT/s, dual-channel 64 GB, 2 x 32 GB, DDR5, 4400 MT/s, dual-channel 64 GB, 4 x 16 GB, DDR5, 4000 MT/s, dual-channel 128 GB, 4 x 32 GB, DDR5, 3600 MT/s, dual-channel
PRIMARY HARD DISK DRIVE^{1,5}	M.2 2230, 512 GB, PCIe NVMe, SSD, Class 25 M.2 2230, 1 TB, PCIe NVMe, SSD, Class 25 2.5-inch, 500 GB, 7200 RPM, SATA, HDD 2.5-inch, 1 TB, 7200 RPM, SATA, HDD 3.5-inch, 1 TB, 7200 RPM, SATA, HDD 3.5-inch, 2 TB, 7200 RPM, SATA, HDD 3.5-inch, 4 TB, 5400 RPM, SATA, HDD M.2 2230, 256 GB, PCIe NVMe, SSD, Class 35 M.2 2230, 512 GB, PCIe NVMe, SSD, Class 35 M.2 2230, 1 TB, PCIe NVMe, SSD, Class 35 M.2 2230, 256 GB, PCIe NVMe, SSD, self-encrypting, Class 35 M.2 2280, 512 GB, PCIe NVMe, SSD, Class 40 M.2 2280, 1 TB, PCIe NVMe, SSD, Class 40 M.2 2280, 2 TB, PCIe NVMe, SSD, Class 40 M.2 2280, 512 GB, PCIe NVMe, Self-Encrypting, SSD, Class 40 M.2 2280, 1 TB, PCIe NVMe, Self-Encrypting, SSD, Class 40
GRAPHICS	Intel® UHD Graphics 730 with 13 th Generation Intel® Core™ i3-13100, i5-13400 processors Intel® UHD Graphics 770 with 13 th Generation Intel® Core™ i5-13500, i5-13600, i7-13700, i9-13900 processors AMD Radeon™ RX6300, 2 GB, GDDR6 AMD Radeon™ RX6500, 4 GB, GDDR6
WIRELESS	Intel® Wi-Fi 6E AX211 2x2 and Bluetooth® wireless card with external antenna Realtek 8852BE Wi-Fi 6 2x2 and Bluetooth® wireless card
CHASSIS COLOR	Black
CAMERA	N/A
AUDIO¹	Realtek Audio Controller, ALC3246-CG, High Definition Audio
DISPLAY	N/A
PERIPHERAL ECOSYSTEM	Dell 24 Monitor - P2422H Dell 27 Monitor - P2723D Dell UltraSharp 24 Monitor - U2422H Dell Premier Multi-Device Wireless Keyboard and Mouse - KM7321W Dell Premier Collaboration Keyboard and Mouse - KM900 Dell Small Form Factor All-in-One Stand - OSS21 Dell Premier Wireless ANC Headset - WL7022 Dell Pro Webcam - WB5023 Dell Speakerphone - SP3022 OptiPlex Cable Cover - Small Form Factor
PRIMARY BATTERY	N/A
POWER	260 W internal power supply unit (PSU), 85% Efficient, 80 Plus Bronze 300 W internal power supply unit (PSU), 92% Efficient, 80 Plus Platinum

TECHNICAL SPECIFICATION

OptiPlex Small Form Factor 7010
Intel® Celeron® G6900 (4 MB cache, 2 cores, 2 threads, up to 3.40 GHz, 46 W) Intel® Pentium® G7400 (6 MB cache, 2 cores, 4 threads, up to 3.70 GHz, 46 W) 13 th Generation Intel® Core™ i3-13100 (12 MB cache, 4 cores, 8 threads, 3.40 GHz to 4.50 GHz turbo, 60 W) 13 th Generation Intel® Core™ i5-13400 (20 MB cache, 10 cores, 16 threads, 2.50 GHz to 4.60 GHz turbo, 65 W) 13 th Generation Intel® Core™ i5-13500 (24 MB cache, 14 cores, 20 threads, 2.50 GHz to 4.80 GHz turbo, 65 W) 13 th Generation Intel® Core™ i5-13600 (24 MB cache, 14 cores, 20 threads, 2.70 GHz to 5.00 GHz, 65 W) 13 th Generation Intel® Core™ i5-13600 (24 MB cache, 14 cores, 20 threads, 2.70 GHz to 5.00 GHz turbo, 65 W) 12 th Generation Intel® Core™ i3-12100, 12MB cache, 4 cores, 8 threads, 3.30GHz to 4.30GHz, 60W 12 th Generation Intel® Core™ i5-12500 vPro®, 18MB cache, 6 cores, 12 threads, 3.00GHz to 4.60GHz, 65W
Intel® Q670
Windows 11 Home Windows 11 Pro Windows 11 Pro Downgrade (Windows 10 image) Windows 11 Pro National Education Windows 10 CMIT Government Edition (China only) Ubuntu® Linux® 22.04 LTS, 64-bit
4 GB, 1 x 4 GB, DDR4, 3200 MT/s, single-channel 8 GB, 1 x 8 GB, DDR4, 3200 MT/s, single-channel 8 GB, 2 x 4 GB, DDR4, 3200 MT/s, dual-channel 16 GB, 1 x 16 GB, DDR4, 3200 MT/s, single-channel 16 GB, 2 x 8 GB, DDR4, 3200 MT/s, dual-channel 32 GB, 1 x 32 GB, DDR4, 3200 MT/s, single-channel 32 GB, 2 x 16 GB, DDR4, 3200 MT/s, dual-channel 64 GB, 2 x 32 GB, DDR4, 3200 MT/s, dual-channel
M.2 2230, 512 GB, PCIe NVMe, SSD, Class 25 M.2 2230, 1 TB, PCIe NVMe, SSD, Class 25 2.5-inch, 500 GB, 7200 RPM, SATA, HDD 2.5-inch, 1 TB, 7200 RPM, SATA, HDD 3.5-inch, 1 TB, 7200 RPM, SATA, HDD 3.5-inch, 2 TB, 7200 RPM, SATA, HDD M.2 2230, 128GB, PCIe NVMe, SSD, Class 35 M.2 2230, 256 GB, PCIe NVMe, SSD, Class 35 M.2 2230, 512 GB, PCIe NVMe, SSD, Class 35 M.2 2230, 1 TB, PCIe NVMe, SSD, Class 35 M.2 2230, 256 GB, PCIe NVMe, Self-Encrypting, SSDD, Class 35 M.2 2280, 512 GB, PCIe NVMe, SSD, Class 40 M.2 2280, 1 TB, PCIe NVMe, SSD, Class 40 M.2 2280, 512 GB, PCIe NVMe, Self-Encrypting, SSD, Class 40 M.2 2280, 1 TB, PCIe NVMe, Self-Encrypting, SSD, Class 40
Intel® UHD Graphics 710 with Intel® Celeron® G6900 and Intel® Pentium® Gold G7400 processors Intel® UHD Graphics 730 with 13 th Generation Intel® Core™ i3-13100, i5-13400 processors Intel® UHD Graphics 770 with 13 th Generation Intel® Core™ i5-13500, i5-13600 processors AMD Radeon™ RX6300, 2 GB, GDDR6 AMD Radeon™ RX6500, 4 GB, GDDR6
Intel® Wi-Fi 6E AX210 2x2 and Bluetooth® wireless card Realtek 8821CE Wi-Fi 5 1x1 and Bluetooth® wireless card Realtek 8852BE Wi-Fi 6 2x2 and Bluetooth® wireless card
Black
N/A
Realtek Audio Controller, ALC3246-CG, High Definition Audio
N/A
Dell 24 Monitor - P2422H Dell UltraSharp 24 Monitor - U2422H Dell Pro Wireless Keyboard and Mouse - KM5221W Dell Small Form Factor All-in-One Stand - OSS21 Dell Pro Webcam - WB5023 Dell Speakerphone - SP3022 Dell Pro Wireless Headset - WL5022 Dell Pro Stereo Headset - WH3022 OptiPlex Cable Cover - Small Form Factor
N/A
180 W internal power supply unit (PSU), 85% Efficient, 80 Plus Bronze 300 W internal power supply unit (PSU), 92% Efficient, 80 Plus Platinum

Small Form Factor

FEATURE TECHNICAL SPECIFICATION

MODEL NUMBER¹ OptiPlex Small Form Factor Plus 7010

PORTS

Front

1 USB 2.0 port
1 USB 2.0 port with PowerShare
1 USB 3.2 Gen 2 port
1 USB 3.2 Gen 2x2 Type-C® port
1 Universal audio port
1 SD-card 4.0 slot (optional)

Rear

3 DisplayPort 1.4a ports (HBR2)
Note: The maximum resolution supported by DisplayPort 1.4a port (HBR2) is up to 4096 x 2304 @60Hz
1 Optional video port (HDMI 2.1/Displayport 1.4a (HBR3)/VGA/USB Type-C with DisplayPort Alt mode)
Note: HDMI 2.1, up to 4096 x 2160 @60Hz
DisplayPort 1.4a (HBR3), up to 5120 x 3200 @60Hz
VGA, up to 1920 x 1200 @60Hz
USB Type-C with DisplayPort Alt mode, up to 5120 x 3200 @60Hz
1 Optional Serial port
1 USB 3.2 Gen 2 port
3 USB 3.2 Gen 1 ports
2 USB 2.0 ports with Smart Power On
1 Re-tasking line out/line in audio port
1 RJ45 Ethernet Port 10/100/1000 Mbps

SLOTS

1 M.2 2230 slot for WiFi and Bluetooth combo card
1 M.2 2230 slot for solid-state drive
1 M.2 2230 slot for solid-state drive
1 M.2 2280 slot for solid-state drive
3 SATA 3.0 slots for 2.5-inch/3.5-inch hard drive and slim optical drive
1 Half-height Gen3 PCIe x4 open-end slot
1 Half-height Gen4 PCIe x16 slot

OPTICAL DRIVE Dell Slimline 8x DVD +/- RW (optional)

DIMENSIONS

US

Height: 11.42 in. (290.00 mm)
Width: 3.65 in. (92.60 mm)
Depth: 11.53 in. (292.80 mm)
Weight (minimum): 8.59 lb (3.90 kg)
Weight (maximum): 11.21 lb (5.09 kg)

Rest of the world

Height: 290.00 mm (11.42 in.)
Width: 92.60 mm (3.65 in.)
Depth: 292.80 mm (11.53 in.)
Weight (minimum) : 3.90 kg (8.59 lb)
Weight (maximum) : 5.09 kg (11.21 lb)

PRODUCTIVITY SOFTWARE

Dell Command Suite
Dell Digital Delivery
Dell Optimizer
Excalibur
Support Assist
Microsoft Office
Adobe Acrobat
Adobe Creative Cloud
Adobe Lightroom
Adobe Photoshop
Cyberlink Power DVD
Cyberlink Power/ Photo Director
Cyberlink 365
Foxit PDF Editor Pro
Foxit PDF Editor
Workspace ONE

SECURITY SOFTWARE⁶

Dell Trusted Device
Absolute Visibility (Standard)
Absolute Control (Professional)
Absolute Resilience (Premium)
McAfee Business Protection

SECURITY HARDWARE

Kensington security-cable slot
Chassis intrusion switch
Trusted Platform Module (Discrete TPM Enabled)
Self-Encrypting Drives (SED)
Dell SafeBIOS
Dell SafeID
Dell SafeSupply Chain

SUSTAINABILITY

Made with recycled plastics and closed-loop materials
Made with recycled steel in chassis
Packaging made with recycled and renewable materials
Factory direct Multipack offers
EPEAT registered configurations available
ENERGY STAR qualified configurations available
TCO 9.0 certified configurations available
US CEC MEPS compliant configurations available

TECHNICAL SPECIFICATION

OptiPlex Small Form Factor 7010

Front

2 USB 2.0 ports
2 USB 3.2 Gen 1 ports
1 Universal audio port

Rear

1 DisplayPort 1.4a port (HBR2)
Note: The maximum resolution supported by DisplayPort 1.4a port (HBR2) is up to 4096 x 2304 @60Hz
1 HDMI 1.4b port
Note: The maximum resolution supported by HDMI 1.4b port is 1920 x 1200.
1 Optional video port (HDMI 2.1/Displayport 1.4a (HBR3)/VGA)
Note: HDMI 2.1, up to 4096 x 2160 @60Hz
DisplayPort 1.4a (HBR3), up to 5120 x 3200 @60Hz
VGA, up to 1920 x 1200 @60Hz
1 Optional Serial port
2 USB 3.2 Gen 1 ports
2 USB 2.0 ports with Smart Power On
1 RJ45 Ethernet Port 10/100/1000 Mbps

1 M.2 2230 slot for WiFi and Bluetooth combo card

1 M.2 2230/2280 slot for solid-state drive
2 SATA 3.0 slots for 2.5-inch/3.5-inch hard drive and slim optical drive
1 Half-height Gen3 PCIe x16 slot
1 Half-height Gen3 PCIe x1 slot

Dell Slimline 8x DVD +/- RW (optional)

US

Height: 11.42 in. (290.00 mm)
Width: 3.65 in. (92.60 mm)
Depth: 11.53 in. (292.80 mm)
Weight (minimum): 8.10 lb (3.68 kg)
Weight (maximum): 10.72 lb (4.87 kg)

Rest of the world

Height: 290.00 mm (11.42 in.)
Width: 92.60 mm (3.65 in.)
Depth: 292.80 mm (11.53 in.)
Weight (minimum): 3.68 kg (8.10 lb)
Weight (maximum): 4.87 kg (10.72 lb)

PRODUCTIVITY SOFTWARE

Dell Command Suite
Dell Digital Delivery
Dell Optimizer
Excalibur
Support Assist
Microsoft Office
Adobe Acrobat
Adobe Creative Cloud
Adobe Lightroom
Adobe Photoshop
Cyberlink Power DVD
Cyberlink Power/ Photo Director
Cyberlink 365
Foxit PDF Editor Pro
Foxit PDF Editor
Workspace ONE

SECURITY SOFTWARE⁶

Dell Trusted Device
Absolute Visibility (Standard)
Absolute Control (Professional)
Absolute Resilience (Premium)
McAfee Business Protection

SECURITY HARDWARE

Kensington security-cable slot
Chassis intrusion switch
Trusted Platform Module (Discrete TPM Enabled)
Self-Encrypting Drives (SED)
Dell SafeBIOS
Dell SafeID
Dell SafeSupply Chain

Made with recycled plastics and closed-loop materials
Made with recycled steel in chassis
Packaging made with recycled and renewable materials
Factory direct Multipack offers
EPEAT registered configurations available
ENERGY STAR qualified configurations available
US CEC MEPS compliant configurations available
Australia and New Zealand MEPS compliant configurations available

Small Form Factor

FEATURE TECHNICAL SPECIFICATION

MODEL NUMBER¹	OptiPlex Small Form Factor Plus 7010
SUSTAINABILITY	Australia and New Zealand MEPS compliant configurations available CEL WEEE Japan Energy Law South Korea E-standby EU RoHS China RoHS
REGULATORY^{8,12}	Product Safety, EMC and Environmental Datasheets Dell Regulatory Compliance Home Page Dell and the Environment
WARRANTY^{9,10}	3-Year Basic Warranty with hardware on-site service after remote diagnosis 4-Year Basic Warranty extension 5-Year Basic Warranty extension 3-Year ProSupport with Next Business Day on-site service 4-Year ProSupport with Next Business Day on-site service 5-Year ProSupport with Next Business Day on-site service 3-Year ProSupport Plus for Client with Next Business Day on-site service 4-Year ProSupport Plus for Client with Next Business Day on-site service 5-Year ProSupport Plus for Client with Next Business Day on-site service
ACCIDENTAL DAMAGE SERVICES	3-Year Accidental Damage Service 4-Year Accidental Damage Service 5-Year Accidental Damage Service

TECHNICAL SPECIFICATION

OptiPlex Small Form Factor 7010
CEL WEEE Japan Energy Law South Korea E-standby EU RoHS China RoHS
Product Safety, EMC and Environmental Datasheets Dell Regulatory Compliance Home Page Dell and the Environment
1-Year Basic Warranty with hardware on-site service after remote diagnosis 2-Year Basic Warranty extension 3-Year Basic Warranty extension 4-Year Basic Warranty extension 5-Year Basic Warranty extension 1-Year ProSupport with Next Business Day on-site service 2-Year ProSupport with Next Business Day on-site service 3-Year ProSupport with Next Business Day on-site service 4-Year ProSupport with Next Business Day on-site service 5-Year ProSupport with Next Business Day on-site service 1-Year ProSupport Plus for Client with Next Business Day on-site service 2-Year ProSupport Plus for Client with Next Business Day on-site service 3-Year ProSupport Plus for Client with Next Business Day on-site service 4-Year ProSupport Plus for Client with Next Business Day on-site service 5-Year ProSupport Plus for Client with Next Business Day on-site service
1-Year Accidental Damage Service 2-Year Accidental Damage Service 3-Year Accidental Damage Service 4-Year Accidental Damage Service 5-Year Accidental Damage Service

Product disclaimers

Page 2

- Final performance benchmarks pending
- Source: *Based on Dell analysis, October 2022. Dell Optimizer not available in OptiPlex 3000 series, Latitude Chromebook Enterprise, and Linux-based devices. Feature availability and functionality may vary by model. For more details visit: <https://www.delltechnologies.com/asset/en-us/solutions/business-solutions/technical-support/dell-optimizer-features-availability-matrix.pdf.external>.
- Disclaimer: 6 GHz Wi-Fi 6E operation requires use of Intel® Wi-Fi 6E (Gig+) products in conjunction with operating systems and routers/APs/Gateways that support Wi-Fi 6E, together with regional spectrum allocation & required regulatory certifications. Not available in all markets. Visit [intel.com/PerformanceIndex](https://www.intel.com/PerformanceIndex) (Connectivity) for details.
- Disclaimer: Offering may vary by country and by configuration and operating system. Some items may be available after product introduction. At launch, Dell ThinOS and Dell Hybrid Client are customer install options sold separately and require the device to be configured with 8 GB

Page 3

- Source: Based on Dell internal analysis, February 2023; weight varies by model
 - Renewable materials in the form of FSC (The Forest Stewardship Council) certified paper fibers from responsibly managed forests.
- *EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.

Product disclaimers

- Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Setup and Specifications published on www.dell.com/support.
- System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.
- 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.
- Particular versions of Microsoft Windows may not support the full Bluetooth 4.2 functionality
- Storage Option: GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
- TPM is available in selected regions.
- Computrace: Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.ijackforlaptops.com.
- Please refer to www.epeat.net for specific country registration rating and participation.
- Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.
- on-site service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicesdescriptions.
- For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information www.dell.com/support/home/us/en/19.