

T-RFLBK460



The Topaz LinkSign™ LCD 1x5 features all the benefits of Topaz electronic signatures plus the additional feature of wireless capability. LinkSign LCD 1x5 is designed for transport in a pneumatic canister for drive-up teller applications.

The LinkSign LCD 1x5 system includes (1) wireless signature pad, (2) pad charging power adapter, (3) four AAA NiMH rechargeable batteries, and (4) base unit, sold separately.

NOTE: Base unit includes base transceiver, base transceiver power adapter, & serial communications cable.

BENEFITS

- Rugged signing area for long life
- Wireless capability for portability and convenience
- Overnight charging for uninterrupted, full-day operation
- High-quality biometric and forensic capture
- Topaz software suite bundled at no additional cost for complete signing and signature solution customization techniques

MODELS & DESCRIPTIONS

T-RFLBK460-P6B-R Serial Pad

T-RFB100-P6B-R **Base Unit**

SPECIFICATIONS

Warranty

1-year, with renewal option

Components

Wireless signature pad Pad charging power adapter 4 AAA NiMH rechargeable batteries Base unit (sold separately)

Dimensions 8.1" x 3.0" x 2.0" 206mm x 76mm x 51mm

Signature Pad Weight 0.9 pounds 0.4 kilograms









((💬)





T-RFLBK460

LinkSign LCD 1x5

SigPlus Pro Java

SigPlus Pro C++

SigPlus Pro .NET

SigTool Imager Plus™

SignMeln™

Microsoft Office

Adobe Acrobat

OPOS Driver

SiaWeb™

eSign Emcee®

pDoc® SDKs



SigPlus® Pro ActiveX Create applications using ActiveX or view

electronically signed documents. Available as a native Java bean.

Create applications in C.

Native assembly for the .NET environment.

Create applications to capture/embed eSignatures

in digital signature fields in PDF documents.

BUNDLED UTILITIES & PLUG-INS

pDoc Signer® Create fillable forms and capture eSignatures in

> PDF documents or fillable forms. Make images from eSignatures.

HIPAA-compatible software for front-desk sign-in.

For signing in Word and Excel.

Add and view signatures in PDFs using Acrobat.

Signature pad drivers for OPOS systems.

PAD'S REMOTE USAGE OPTIONS

"B" signature pads. Serial

BUNDLED SERVER/BROWSER TOOLS

SigPlusExtLite™ Supports Firefox, Chrome, Edge, and Opera under

Windows. Can be used locally or remotely.

Integrate sig capture functionality into a web app

using Firefox, Chrome, Edge, IE 11+, and Opera.

Incorporate eSignatures into existing

document-processing work flows.

VERIFICATION SOFTWARE

SigCompare™ Visually verify eSignatures without the need to

create or store templates.

SigAnalyze® Available to forensic document examiners with an

active signature dispute.



SPECIFICATIONS

Sensor Type

3rd-generation touch-screen Rated to 1 million signatures

Pen Type

Rugged, passive pen & tether Patented, battery-less

Resolution & Conversion Rate Exceeds industry standards Programmable PPI

Point-to-Point Transceiver

Enables pad-to-base unit communication with serial port utilizing 802.15.4 radio technology (all 15 standard channels) operating DSSS in the 2.4GHz band

Authentication Capability

Forensic quality .SIG data capable of examination and authentication with Topaz software



